

# LED LIGHT PRODUCT

## CATALOGUE



- **INDOOR LED LIGHTING**
- **OUTDOOR LED LIGHTING**
- **DECORATIVE LIGHTS**
- **SOLAR LIGHTS AND PANELS**
- **AC/DC RECHARGEABLE**

[www.sofglowtechnologies.com](http://www.sofglowtechnologies.com)



# INDOOR LED LIGHTS

### RAINBOW SERIES LED NIGHT BULB

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	270°	PC Housing	4kv/440 V	>80	>85%	110lm/W

**Colour Options**

**Applications**  
 Home Shop Decoration

**0.5W 1W 9W**



### AQUA SERIES LED BULB 240° BEAM

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	240°	High Beam	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White Natural White Warm White

**Applications**  
 Lamps Home Shop Decoration Office

**5W 7W 9W\* 12W 15W 20W 25W**

**Colour Options**

### AQUA SERIES ALL ROUNDER LED BULB 180° BEAM

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	240°	High Beam	4kv/440 V	>80	>85%	110lm/W

**\*Wattage Control By Switch Button**

Level-1	Level-2	Level-3
15W	8W	0.5W

**Applications**  
 Lamps Home Shop Office

**Colour Options**



### HAMMER SERIES LED BULB

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	180°	DOM	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White Natural White Warm White

**Applications**  
 Industry Home Shop Office

**10W 20W 30W 40W 50W 60W**



# INDOOR LED LIGHTS



### PERL SERIES LED DOWN LIGHT / DEEP LIGHT

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	180°	PC Housing	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White   Natural White   Warm White

7W	9W	12W
Cutouts		
3.5x3.5inch	3.5x3.5inch	4x4inch
ø3.5inch	ø3.5inch	ø4inch

**Applications**  
 Home Shop Office

5W 7W 9W 12W




### MOON STRIKER SERIES LED SURFACE PANEL

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	180°	PC Housing	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White   Natural White   Warm White

8W	15W
Cutouts	
110x50mm	180x50mm

**Applications**  
 Home Shop Office

6W 8W 15W



### CRESENT SERIES LED PANEL LIGHT

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	180°	PC Housing	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White   Natural White   Warm White

8W	12W	15W	20W
Cutouts			
95X95mm	124X124mm	146X146mm	200X200mm
ø95mm	ø124mm	ø146mm	ø200mm

**Applications**  
 Home Shop Office

8W 12W 15W 20W 22W




### HEXA SERIES LED SURFACE PANEL

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	180°	PC Housing	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White   Natural White   Warm White

8W	12W	15W	20W
Dimensions			
115X40mm	139X40mm	165X40mm	216X40mm
ø115mm	ø139mm	ø165mm	ø216mm

**Applications**  
 Home Shop Office

8W 12W 15W 20W 22W



# INDOOR LED LIGHTS



**CRESENT SERIES LED 2x2 PANEL LIGHT**


Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	180°	PC HOUSING	4kv/440 V	>80	>85%	110lm/W

Colour Temperature: Cool White Natural White Warm White

Dimension(LxWxH): **595x595x32 mm**

Applications:      
Industry Home Shop Office

**36W 40W 48W**




**ZOOM SERIES COB LED LIGHT**

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	240°	PC HOUSING	4kv/440 V	>80	>85%	110lm/W

Colour Temperature: Cool White Natural White Warm White

9W	12W
Cutouts	
80x50mm	115x65mm

Applications:     
Home Shop Office

**9W 12W**




**SHINE SERIES LED TUBE LIGHT**

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	240°	PC Housing	4kv/440 V	>80	>85%	110lm/W

Colour Temperature: Cool White Natural White Warm White

Applications:      
Industry Home Shop Office

**10W 15W 20W 25W 36W 40W**



# INDOOR RECHARGEABLE LED LIGHTS



### PRIME SERIES INVERTOR LED BULB

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	180°	Lower Beam	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White   Natural White   Warm White

DC Lumens		Charging Time	Back Up Time
9W	12W	6-8 Hours	Upto 4 Hrs
350lm	450lm		

**Applications**  
 Lamps Home   Shop   Decoation   Office   Emergency

**9W   12W   14W**




### PRIME SERIES DC DIMMING INVERTOR LED BULB


Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	180°	LOWER BEAM	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White   Natural White   Warm White

DC Lumens			Charging Time	Back Up Time
1st Step	2nd Step	3rd Step	6hrs to 8hrs	4hrs to 6hrs
350lm	350lm	150lm		

**Applications**  
 Lamps Home   Shop   Decoation   Office   Emergency

**9W   10W**



### TURBO SERIES INVERTOR LED BULB

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	180°	Lower Beam	4kv/440 V	>80	>85%	110lm/W


**Colour Temperature**  
 Cool White   Natural White   Warm White

DC Lumens		Charging Time	Back Up Time
9W	14W	6-8 Hours	Upto 4 Hrs
350lm	550lm		Upto 6 Hrs

**Applications**  
 Lamps Home   Shop   Office   Emergency

**9W   14W**

**Charging Indicator Light**  
 Under Charge   Full Charge




### MAGIC SERIES INVERTOR LED BATTEN TUBE LIGHT

Rated Voltage	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	180°	PC Housing	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White   Natural White   Warm White

DC Lumens			Charging Time	Back Up Time
12W	20W	25W	6-8 Hours	Upto 4 Hrs
350lm	550lm	600lm		

**Applications**  
 Lamps Home   Shop   Office   Emergency

**12W   20W   25W**

# RECHARGEABLE AC/DC LED LIGHTS



## NEO SERIES AC/DC RECHARGEABLE TORCH

Light Source Type	Battery Discharging	Battery CutOff	Battery Cycle Life	Battery Backup (High)	Battery Backup (Low)	Battery Charging Time
LED	4.2v	2.8 Volt	500 Cycle	5 Hours +	8 Hours +	5-6 Hours

### Colour Temperature

Cool White

### Applications



Dimming :-


2 Step Dimming Function ₹ \$OS Option

Range :4000 Meters

Body :ABS Plastic Body



## High Range Flashlight



## DAKSH SERIES RECHARGEABLE MOSQUITO KILLER BAT

Material	Type	Breath	Height	Length	Housing
PVC	Bat	10 Inch	1 Inch	11 Inch	ABC Body PVC

RACKETS BATTERY 400mah

### Applications



## UNIQUE SERIES RECHARGEABLE FAN

Input Voltage	Size	LED Light	Charging Time	Material	DC LED Light	RPM (High Speed)	RPM (Low Speed)
12V DC	12 Inch	3W	8 Hours	Plastic & Metal	14pc 3V DC LED	1800	900

Battery - Lithium ion 11.1V/7.4Ah

### Applications



## ALEXA SERIES CEILING FAN

Type	Input Voltage	Breath	Charging Time	Length	Housing	BackUp
Table Fan	12V DC	12 Inch	8 Hours	12 Inch	Plastic & Metal	Low
		15 Inch		15 Inch		High
						6 Hrs
						4 Hrs

Battery - Lithium ion 11.1V/7.4Ah

### Applications



MORE DETAILS

# OUTDOOR DECORATIVE LED LIGHTS



### RADIANT SERIES HALF K LED WALL LIGHT

Rated Voltage	Ingress Protection	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	IP65	Die Casting AL	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
Cool White Natural White Warm White

**Applications**  
 Office Home Shop Decoration

**5W 10W**



### RADIANT SERIES FULL K LED WALL LIGHT

Rated Voltage	Ingress Protection	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	IP65	Die Casting AL	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
Cool White Natural White Warm White

**Applications**  
 Office Home Shop Decoration

**5W 10W**



### RADIANT SERIES 2 WAY LED WALL LIGHT

Rated Voltage	Ingress Protection	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	IP65	Die Casting AL	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
Cool White Natural White Warm White

**Applications**  
 Office Home Shop Decoration

**5W 10W 15W**




### RADIANT SERIES 4 WAY LED WALL LIGHT

Rated Voltage	Ingress Protection	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	IP65	Die Casting AL	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
Cool White Natural White Warm White

**Applications**  
 Office Home Shop Decoration

**5W 10W**

# OUTDOOR DECORATIVE LED LIGHTS




**LUX SERIES 2 WAY ROUND LED WALL LIGHT**

Rated Voltage	Ingress Protection	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	IP65	Die Casting AL	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White   Natural White   Warm White

**Applications**  
 Office Home Shop Decoration

**5W 10W**




**LUX SERIES 4 WAY ROUND LED WALL LIGHT**

Rated Voltage	Ingress Protection	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	IP65	Die Casting AL	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White   Natural White   Warm White

**Applications**  
 Office Home Shop Decoration

**10W 20W**




**ZELUX SERIES BULK HEAD LED LIGHT**

Rated Voltage	Ingress Protection	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	IP65	PC Housing	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White   Natural White   Warm White

**Applications**  
 Office Home Shop Decoration

**10W 20W**



# OUTDOOR DECORATIVE LED LIGHTS



### NEON SERIES ROPE LED LIGHT

Input Voltage	LED Per Metre	Reel Length	Protection	CRI	Efficiency	Rated Lumens	IP Rating
12v DC	120/240	5/50 Meter	4kv/440 V	>80	>85%	110lm/W	IP20

**Colour Options**


RED GREEN BLUE PINK COOL WHITE NATURAL WHITE WARM WHITE

**Applications**

Office Home Shop Decoration

**Adopter**

12v/2A  
12v/4A

### NEON SERIES LED STRIP LIGHT

Input Voltage	LED Per Metre	Reel Length	Protection	CRI	Efficiency	Rated Lumens	IP Rating
12v DC	120/240	5/50 Meter	4kv/440 V	>80	>85%	110lm/W	IP20

**Colour Options**

RED GREEN BLUE PINK COOL WHITE NATURAL WHITE WARM WHITE

**Applications**

Office Home Shop Decoration

**Adopter**

12v/2A  
12v/4A



### SLEEK SERIES LED FOOT LIGHT

Rated Voltage	Ingress Protection	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	-NA-	Die Casting AL	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**

Cool White Natural White Warm White

**Applications**

Office Home Shop Decoration

5W 10W

### Open the Door of Creativity

Upgrade your light control with barn doors, that shape & direct beams of light for precise and versatile lighting in theatrical settings.



ADJUST FLAPS TO CHANGE THE DIRECTIONS

\*Only light included in the pack



# OUTDOOR LED LIGHTS



## WAVE SERIES GM MODEL LED FLOOD LIGHT

Rated Voltage	Ingress Protection	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	IP66	Die Casting AL	6kv/440 V	>80	>85%	110lm/W



### Colour Temperature

Cool White Natural White Warm White

### Applications

Outdoor Billboard Office Industry

30W 50W 100W 150W 200W 250W 300W 400W 500W



## MOON SERIES LENS MODAL LED FLOOD LIGHT

Rated Voltage	Ingress Protection	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	IP66	Die Casting AL	6kv/440 V	>80	>85%	110lm/W

### Colour Temperature

Cool White Natural White Warm White

### Applications

Outdoor Billboard Office Industry

30W 50W 100W 150W 200W 250W



## SKYWAY SERIES LED STREET LIGHT LENS

Rated Voltage	Ingress Protection	Housing	Protection	CRI	Efficiency	Rated Lumens
220 - 240 V	IP66	Die Casting AL	6kv/440 V	>80	>85%	110lm/W



### Colour Temperature

Cool White Natural White Warm White

### Applications

Outdoor Billboard Office Industry

30W 50W 100W 150W 200W 250W



# OUTDOOR SOLAR LED LIGHTS



**COSMIC SERIES RECHARGEABLE SOLAR PORTABLE FLOOD LIGHT**


Charging Input	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
4.2v/1A-2A	180°	Lower Beam	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White | Natural White | Warm White

**Applications**  
 Outdoor | Billboard | Office | Industry | Solar

**Battery capacity - 3.2v / 10A.h Solar Panel**  
**BackUp - 8 Hours**  
**Function - SOS Indication Function**

30W | 50W | 100W

**COSMIC SERIES RECHARGEABLE SOLAR FLOOD LIGHT**

Charging Input	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
4.2v/1A-2A	180°	Lower Beam	4kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White | Natural White | Warm White

**Applications**  
 Outdoor | Billboard | Office | Industry | Solar

**Battery capacity - 3.2v / 10A.h Solar Panel**  
**BackUp - 8 Hours**  
**Function - SOS Indication Function**

30W | 50W | 100W



**NEO SERIES RECHARGEABLE SOLAR STREET LIGHT FULL INTEGRATED**

Charging Input	Beam Angle	Housing	Protection	CRI	Efficiency	Rated Lumens
4.2v/1A-2A	180°	Lower Beam	6kv/440 V	>80	>85%	110lm/W

**Colour Temperature**  
 Cool White | Natural White | Warm White

**3.2V 20AH 25W WITH REMOTE**  
**2 Stage Dimming Function**

**Applications**  
 Outdoor | Billboard | Office | Industry | Solar

10W | 20W | 25W | 30W | 40W





## SOF GLOW TECHNOLOGY

Offers energy-efficient LED lighting solutions for various spaces such as homes, offices, retail spaces, and outdoors. With over 10 years of experience, the company provides a wide range of LED lights to suit specific needs and preferences, including solar-powered and inverter LED lights. The team of experts is dedicated to offering advice and support to customers. Browse their product catalog today for high-quality and eco-friendly lighting solutions.

- Quality products with high efficiency
- Best in Industry warranty period.
- In house R&D Centre.
- Customer oriented company.
- Ultra competitive price to quality ratio.
- The strong position at lightning market.
- A short time to develop new products.
- Respond quickly to customer requirements.
- Quick delivery on all B2B and B2C order
- Easily fulfilment of Multiple project at a time.



### Sof Glow Technologies Pvt Ltd

(formerly known as  Electrical & Solar Solution)

Plot No-53, Shastri Nagar Industrial Area, Near Dwarka Express Way, Daultabad, Gurugram, Haryana-122005

Unit: A-56, Kh No. 71/81, Daultabad Industrial Area, Gurugram-122006

Customer Care No : 1800 258 4541, 8376984604  
Technical Support : info.sofglowtechnologies@gmail.com  
Sales Queries : sales.sofglowtechnologies@gmail.com  
Website : www.sofglowtechnologies.com

[f/sofglow](https://www.facebook.com/sofglow) [t/sofglow](https://www.twitter.com/sofglow) [i/sofglow](https://www.instagram.com/sofglow) [+91 96506 96155](https://www.whatsapp.com/+919650696155)

© 2023 Sof Glow Technologies Pvt. Ltd. All Rights Reserved; All Pictures shown are for illustration purpose only; Actual product may vary due to product enhancement; Product Specification may change without prior notice.

SCAN HERE



MORE DETAILS



MORE DETAILS